

212/220

In the claims:

1. (currently amended) A device for compressing the chest of a patient during cardiopulmonary resuscitation, said device comprising:

- a band adapted to extend around the chest of the patient;
- a driver mechanism, operably connected to the band, for contracting the band;
- a fluid-filled cushion disposed between the chest of the patient and the band; and
- an automatic controller for controlling operation of the driver mechanism;

wherein the controller is programmed to control the driver mechanism to contract the band at a rate sufficient to perform cardiopulmonary resuscitation;

wherein the controller is programmed to control the driver mechanism to contract the band to a tightness sufficient to perform cardiopulmonary resuscitation.

2. (currently amended) A device for compressing the chest of a patient during cardiopulmonary resuscitation, said device comprising:

- a band adapted to extend around the chest of the patient, the band having a plurality of fluid-receiving cells disposed along the length of the band;
- a driver mechanism, operably connected to the band, for inflating the fluid-receiving cells;
- a cushion disposed between the chest of the patient and the band; and

212/220

an automatic controller for controlling operation of the driver mechanism;

wherein the controller is programmed to control the driver mechanism to inflate the fluid-receiving cells at a rate sufficient to perform cardiopulmonary resuscitation;

wherein the controller is programmed to control the driver mechanism to inflate the fluid-receiving cells to a pressure sufficient to contract the band to a tightness sufficient to perform cardiopulmonary resuscitation.

3. (original) The device of claim 2, wherein the cushion is a sealed cushion.

4. (original) The device of claim 2, wherein the band is comprised of an inelastic material.

5. (currently amended) A device for compressing the chest of a patient during cardiopulmonary resuscitation, said device comprising:

a band adapted to extend around the chest of the patient, the band having a plurality of fluid-receiving cells disposed along the length of the band, wherein the plurality of fluid-receiving cells are in fluid communication with each other;

a driver mechanism, connected to the band and the fluid-receiving cells, for inflating the fluid-receiving cells;

a cushion disposed between the chest of the patient and the band; and

an automatic controller for controlling the operation of the driver mechanism;

212/220

wherein the controller is programmed to control the driver mechanism to inflate the fluid-receiving cells at a rate sufficient to perform cardiopulmonary resuscitation;

wherein the controller is programmed to control the driver mechanism to inflate the fluid-receiving cells to a pressure sufficient to contract the band to a tightness sufficient to perform cardiopulmonary resuscitation.

6. (original) The device of claim 5, wherein the cushion is a sealed cushion.

7. (original) The device of claim 5, wherein the band is comprised of an inelastic material.

8. (currently amended) A device for compressing the chest of a patient during cardiopulmonary resuscitation, said device comprising:

a band adapted to extend around the chest of the patient, the band having a plurality of fluid-receiving cells disposed along the length of the band, each fluid-receiving cell being interconnected to another fluid-receiving cell by a manifold;

a driver mechanism, operably connected to the band, for inflating the fluid-receiving cells;

a cushion disposed between the chest of the patient and the band; and

an automatic controller for controlling operation of the driver mechanism;

wherein the controller is programmed to control the driver mechanism to inflate the fluid-receiving cells at a rate sufficient to perform cardiopulmonary resuscitation;

212/220

wherein the controller is programmed to control the driver mechanism to inflate the fluid-receiving cells to a pressure sufficient to contract the band to a tightness sufficient to perform cardiopulmonary resuscitation.

9. (original) The device of claim 8, wherein the cushion is a sealed cushion.

10. (original) The device of claim 8, wherein the band is comprised of an inelastic material.

11. (currently amended) A device for compressing the chest of a patient during cardiopulmonary resuscitation, said device comprising:

a band adapted to extend around the chest of the patient, the band having a plurality of fluid-receiving cells disposed along the length of the band, each fluid-receiving cell being interconnected to another fluid-receiving cell by a manifold, wherein the plurality of fluid-receiving cells are in fluid communication with each other;

a driver mechanism, connected to the band and the fluid-receiving cells, for inflating the fluid-receiving cells;

a cushion disposed between the chest of the patient and the band; and

an automatic controller for controlling the operation of the driver mechanism;

wherein the controller is programmed to control the driver mechanism to inflate the fluid-receiving cells at a rate sufficient to perform cardiopulmonary resuscitation;

wherein the controller is programmed to control the driver mechanism to inflate the fluid-receiving cells to a

212/220

pressure sufficient to contract the band to a tightness sufficient to perform cardiopulmonary resuscitation.

12. (original) The device of claim 11, wherein the cushion is a sealed cushion.

13. (original) The device of claim 11, wherein the band is comprised of an inelastic material.

14. (previously presented) The device of claim 1 wherein the cushion is sized and dimensioned to cover substantially the entire anterior portion of the chest of the patient.

15. (previously presented) The device of claim 2 wherein the cushion is sized and dimensioned to cover substantially the entire anterior portion of the chest of the patient.

16. (previously presented) The device of claim 5 wherein the cushion is sized and dimensioned to cover substantially the entire anterior portion of the chest of the patient.

17. (previously presented) The device of claim 8 wherein the cushion is sized and dimensioned to cover substantially the entire anterior portion of the chest of the patient.

18. (previously presented) The device of claim 11 wherein the cushion is sized and dimensioned to cover substantially the entire anterior portion of the chest of the patient.

19. (currently amended) A method of compressing the chest of a patient during cardiopulmonary resuscitation, said method comprising the steps of:

providing a device for compressing the chest of a patient,
said device comprising:

a band adapted to extend around the chest of the
patient;

212/220

a driver mechanism, operably connected to the band, for contracting the band;

a fluid-filled cushion sized and dimensioned to cover substantially the entire anterior portion of the chest of the patient; and

an automatic controller for controlling operation of the driver mechanism;

wherein the controller is programmed to control the driver mechanism to contract the band at a rate sufficient to perform cardiopulmonary resuscitation;

wherein the controller is programmed to contract the band to a tightness sufficient to perform cardiopulmonary resuscitation;

placing the cushion on the anterior portion of the chest of the patient;

securing the band around the chest of the patient and over the cushion; and

contracting the band to compress the chest of the patient to a tightness and at a rate sufficient to perform cardiopulmonary resuscitation on the patient.

20. (currently amended) A method of compressing the chest of a patient during cardiopulmonary resuscitation, said method comprising the steps of:

providing a device for compressing the chest of a patient, said device comprising:

a band adapted to extend around the chest of the patient, the band having a plurality of fluid-receiving cells disposed along the length of the band;

212/220

a driver mechanism, operably connected to the band, for inflating the fluid-receiving cells;

a cushion sized and dimensioned to cover substantially the entire anterior portion of the chest of the patient; and

an automatic controller for controlling operation of the driver mechanism;

wherein the controller is programmed to control the driver mechanism to inflate the fluid-receiving cells at a rate sufficient to perform cardiopulmonary resuscitation;

wherein the controller is programmed to control the driver mechanism to inflate the fluid-receiving cells to a pressure sufficient to contract the band to a tightness sufficient to perform cardiopulmonary resuscitation;

placing the cushion on the anterior portion of the chest of the patient;

securing the band around the chest of the patient and over the cushion; [[and]]

inflating the fluid-receiving cells ~~to compress the chest of the patient~~ to a pressure sufficient to contract the band to a tightness sufficient to perform cardiopulmonary resuscitation; and

inflating the cells at a rate sufficient to perform cardiopulmonary resuscitation.

21. (currently amended) A method of compressing the chest of a patient, said method comprising the steps of:

212/220

providing a device for compressing the chest of a patient,
said device comprising:

a band adapted to extend around the chest of the patient, the band having a plurality of fluid-receiving cells disposed along the length of the band, wherein each of the fluid-receiving cells is in fluid communication with a manifold;

a driver mechanism, operably connected to the band, for inflating the fluid-receiving cells;

a cushion sized and dimensioned to cover substantially the entire anterior portion of the chest of the patient; and

an automatic controller for controlling operation of the driver mechanism;

wherein the controller is programmed to control the driver mechanism to inflate the fluid-receiving cells at a rate sufficient to perform cardiopulmonary resuscitation;

wherein the controller is programmed to control the driver mechanism to inflate the fluid-receiving cells to a pressure sufficient to contract the band to a tightness sufficient to perform cardiopulmonary resuscitation;

placing the cushion on the anterior portion of the chest of the patient;

securing the band around the chest of the patient and over the cushion; [[and]]

inflating the fluid-receiving cells ~~to compress the chest of the patient~~ to a pressure sufficient to contract the band

212/220

to a tightness sufficient to perform cardiopulmonary
resuscitation on the patient; and

inflating the cells at a rate sufficient to perform
cardiopulmonary resuscitation.
